Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	691	server same download same terminal and gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/12/20 13:29
L2	259	(ISDN) and (service and facility) and (connection-less or connectionless) and (connection-oriented)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/12/20 13:29
L3	205	L2 and (@ad<"20020626" or @rlad<"20020626")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/12/20 13:29
L4	1	l1 and L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/12/20 13:30
L5	23136278	@ad<"20020626" or @rlad<"20020626"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/12/20 13:31
.L6	326	I1 and I5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/12/20 13:31
L7	158	l6 and server with download with terminal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/12/20 13:32
L8	39	l6 and server with download with terminal with (software or program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/12/20 13:33

L9	39	l6 and server with download with terminal with (software or program)	US-PGPUB; USPAT;	OR	OFF	2007/12/20 13:41
		and gateway	USOCR; FPRS; EPO; JPO; DERWENT			
L10	8	(US-20070206576-\$ or US-20010040885-\$ or US-20020044545-\$).did. or (US-6757266-\$ or US-6944150-\$ or US-5764750-\$ or US-6625170-\$). did. or (EP-1076440-\$).did.	US-PGPUB; USPAT; EPO	OR	OFF	2007/12/20 13:41
L11	6	I10 and software	US-PGPUB; USPAT; EPO	OR	OFF	2007/12/20 13:42
L12	6	I10 and (software or program)	US-PGPUB; USPAT; EPO	OR	OFF	2007/12/20 13:43
L13	6	110 and (memory)	US-PGPUB; USPAT; EPO	OR	OFF	2007/12/20 13:43
L14	1	I10 and (memory) same terminal	US-PGPUB; USPAT; EPO	OR	OFF	2007/12/20 13:43
S8	1	"10/518408".app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/12/20 13:28
S9 ·	1	S8 and (service or facility)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/28 18:05
S11	257	(ISDN) and (service and facility) and (connection-less or connectionless) and (connection-oriented)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/29 19:44
S12	203	S11 and (@ad<"20020626" or @rlad<"20020626")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/10/24 12:53

S13	140	S12 and (connection with connectionless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/10/24 12:56
S14	152	S12 and gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/10/24 13:03
·S15	152	S12 and gateway and (networks)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/10/24 13:03
S16	81	S12 and gateway and (packet near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/10/24 13:16
S18	1294	isdn near10 tcp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF .	2007/10/24 13:17
S20	29	isdn near10 tcp near6 conver\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/10/24 19:57
S23	44	"Q.932" and isdn and packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/10/24 13:28
S24	4154	709/227.ccls.	US-PGPUB; USPAT; USOCR; FPRS; 'EPO; JPO; DERWENT	OR .	OFF	2007/10/24 13:33

S25	2	S24 and "Q.932"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/10/24 13:34
S26	9	(different near6 protocol\$1) and "Q. 932" and TCP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/10/24 13:35
S27		S26 and (@rlad<"20060626" or @ad<"20020626")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/10/24 19:22
S28	29	isdn near10 tcp near6 conver\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/10/24 19:22
S29	5	S28 and shaffer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/10/24 19:22
S30	. 2	S28 and bruno	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/10/24 19:23
S31	28	S28 and gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/10/24 19:59
S32	22	S31 and header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/10/24 20:01

			·	r	<u> </u>	
S33	22	S32 and (@ad<"20020626" or @rlad<"20020626")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/10/24 20:03
S34	56060	gateway and protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/10/24 20:04
S35	6647	(gateway and protocol).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/10/24 20:04
S36	13917	370/352-356.ccls. 370/400-401.ccls.	US-PGPUB; USPAT	OR	OFF	2007/11/24 12:23
S37	1	09/708836.app.	US-PGPUB; USPAT	OR	OFF	2007/11/24 12:07
S38	2285	S36 and 709/230.ccls. 709/228.ccls.	US-PGPUB; USPAT	OR	OFF	2007/11/24 12:23
S39	2285	S36 and 709/230.ccls. 709/228.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/24 12:24
S40	14140	370/352-356.ccls. 370/400-401.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/24 12:23
S41	2285	S40 and 709/230.ccls. 709/228.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/24 12:24

642	10450	C40 at 700/220 ada 700/220 ada	LIC DCDUB	OB	OFF	2007/11/24 12:24
S42	18458	S40 or 709/230.ccls. 709/228.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/24 12:24
S43	28	S42 and (gateway) same packet same (connection-oriented)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR _	OFF	2007/11/24 12:26
S44	33569624	@ad<"20020626" or @rlad<"20020625" or @pd<"20020625"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/24 12:28
S45	19	S43 and S44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/24 12:29
S46	24294	(gateway and connection-oriented or isdn) and (packet or connectionless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/24 12:30
S47	17536	S44 and S46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/24 12:30
S48	3285	((circuit near2 switch\$3 or circuit-switching or line near2 switch\$3 or line-switching or connection-oriented or isdn or telephone) and (packet-switching or packet or IP or internet) and gateway).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/24 12:36

S49	1789	S44 and S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/24 12:38
S50	249	S49 and S42	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/24 12:40
S51	0	S50 and "20020044545"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/24 12:41
S52	0	S50 and 09/827487.app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/24 12:41
S53	2	"20020044545"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/24 12:42
S54	0	S53 and address near10 gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/24 12:42
S55	1	S53 and address same gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/24 12:42

S56	1	S53 and address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/24 12:43
S57	189	S50 and (address same gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/24 12:45
S58	86	S50 and (address same gateway same server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/11/24 12:46
S59	,	(without near10 bearer) and gateway	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 14:43
S60	29673767	(@ad<"20020626" or @rlad<"20020626" or @pd<"20020625")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 14:44
S61	. 112	S59 and S60	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 15:16
S62	1	"20020044545"	US-PGPUB	OR	OFF	2007/11/29 15:17
S63	0	S62 and transparent\$3	.US-PGPUB	OR ·	OFF	2007/11/29 15:17
S64	7867	gateway and transparent\$2	US-PGPUB	OR	OFF	2007/11/29 15:18
S65	3686	S60 and S64	US-PGPUB	OR	OFF	2007/11/29 15:19
S66	14191	370/352-356.ccls. 370/400-401.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 15:22

			<u>-</u>			
S67	18524	S66 or 709/230.ccls. 709/228.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/11/29 15:19
S68	422	S67 and S65	US-PGPUB	OR	OFF	2007/11/29 15:19
S69	0	S62 and server	US-PGPUB	OR	OFF	2007/11/29 15:20
S70	0	S62 and server	US-PGPUB; USPAT	OR	ON	2007/11/29 15:20
S71	0	S68 and (gateway same server) and "Q.932"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 15:23
S72	217	S68 and (gateway same server) and service	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 15:28
S73	217	S68 and (gateway same server) and service and transparent\$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 15:28
S74	. 97	S68 and (gateway same server) and service and transparent\$2 and isdn and ip	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 17:22
S75	208606	(address\$2 nea10 gateway near10 header) and (extract\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 17:24
S76	29673767	(@ad<"20020626" or @rlad<"20020626" or @pd<"20020625")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 17:24
S77	7867	gateway and transparent\$2	US-PGPUB	OR	OFF	2007/11/29 17:24

S78	3686	S76 and S77	US-PGPUB	OR	OFF	2007/11/29 17:24
S79	14191	370/352-356.ccls. 370/400-401.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 17:24
S80	18524	S79 or 709/230.ccls. 709/228.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 17:24
S81	422	S80 and S78	US-PGPUB	OR	OFF	2007/11/29 17:24
S82	97	S81 and (gateway same server) and service and transparent\$2 and isdn and ip	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 17:24 ·
S83		S75 and S82	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/11/29 17:55
S84	27	(packet with address with gateway with header with service)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 18:11
S85	15	S76 and S84	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 18:11
S86	258	(ISDN) and (service and facility) and (connection-less or connectionless) and (connection-oriented)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/29 19:44

S87	204	S86 and (@ad<"20020626" or @rlad<"20020626")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/29 19:44
S88	153	S87 and gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/29 19:44
S89	14191	370/352-356.ccls. 370/400-401.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 19:44
S90	18524	S89 or 709/230.ccls. 709/228.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 19:44
591	33	S88 and S90	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/29 19:45
S92	5	S90 and (terminal with address with gateway with (service or call)) same (isdn or connection-oriented)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/29 19:46
S93	8	(US-20020044545-\$ or US-20070206576-\$ or US-20010040885-\$).did. or (US-6757266-\$ or US-6625170-\$ or US-5764750-\$ or US-6944150-\$). did. or (EP-1076440-\$).did.	US-PGPUB; USPAT; EPO	OR	OFF	2007/11/29 20:28
S94	2	S93 and ss7	US-PGPUB; USPAT; EPO	OR	OFF	2007/11/29 20:28

S95	1.	"10/518408".app. and encapsulat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/30 14:37
S96	1	"10/518408".app. and facility same service	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/30 13:30
S97	8	(US-20070206576-\$ or US-20020044545-\$ or US-20010040885-\$).did. or (US-6757266-\$ or US-6944150-\$ or US-6625170-\$ or US-5764750-\$). did. or (EP-1076440-\$).did.	US-PGPUB; USPAT; EPO	OR	OFF	2007/11/30 13:08
S98	2	S97 and "q.932"	US-PGPUB; USPAT; EPO	OR	OFF	2007/11/30 13:15
S99	6	S97 and server	US-PGPUB; USPAT; EPO	OR	ON	2007/11/30 13:16
S10 0	594	(services same server same (IP or tcp/IP or connectionless)) same gateway and isdn	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/30 13:31
S10 1	258	(ISDN) and (service and facility) and (connection-less or connectionless) and (connection-oriented)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/30 13:40
S10 2	204	S101 and (@ad<"20020626" or @rlad<"20020626")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/30 13:31
S10 3	26	S100 and S102	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/30 13:31

				<u> </u>		
S10 4	23	S103 and (server same packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/30 13:41
S10 5	1798	(server with packet with call)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/30 13:42
S10 6	190	S105 and gateway same isdn and ip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/30 13:43
S10 7	2	S106 and S102	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/30 13:43
S10 8	1	"10/518408".app. and server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/30 13:56
S10 9	693	(IP and SIP same server same packet same gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/11/30 13:58
S11 0	0	S109 and S102	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/11/30 13:57
S11 1	0	S109 and S97	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/11/30 13:57

S11 2	193	(IP and server with packet with gateway with services)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/11/30 13:59
S11 3	1	S112 and S97	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/11/30 14:01
S11 4	1	S113 and server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/11/30 14:29
S11 5	1	S95 and generat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/11/30 14:30
S11 6	8	(US-20070206576-\$ or US-20020044545-\$ or US-20010040885-\$).did. or (US-6757266-\$ or US-6944150-\$ or US-6625170-\$ or US-5764750-\$). did. or (EP-1076440-\$).did.	US-PGPUB; USPAT; EPO	OR	OFF	2007/11/30 14:33
S11 7	. 7	S116 and (voice same data)	US-PGPUB; USPAT; EPO	OR	OFF	2007/11/30 14:33
S11 8	1	"10/518408".app. and process\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/30 15:24
S12 0	1	09/708836.app.	US-PGPUB; USPAT	OR	OFF	2007/11/30 16:08
S12 1		kotar-peter-christos.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/12/19 18:02

12/20/2007 2:20:57 PM C:\Documents and Settings\jnaurotton\My Documents\EAST\Workspaces\10518408.wsp

Page 14

S12 2	30217	alcatel.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/12/19 18:03
S12 4	8	(US-20020044545-\$ or US-20070206576-\$ or US-20010040885-\$).did. or (US-6625170-\$ or US-6757266-\$ or US-5764750-\$ or US-6944150-\$). did. or (EP-1076440-\$).did.	US-PGPUB; USPAT; EPO	OR ·	OFF	2007/12/20 12:29
S12 5	2	S124 and ss7	US-PGPUB; USPAT; EPO	OR	OFF	2007/12/20 12:33
S12 6	2	S124 and ss7 and encapsulat\$3	US-PGPUB; USPAT; EPO	OR	OFF	2007/12/20 12:41
S12 7	2	S124 and ss7 and (ip or packet or tcp)	US-PGPUB; USPAT; EPO	OR	OFF	2007/12/20 12:46
S12 8	1	S124 and ss7 same terminal	US-PGPUB; USPAT; EPO	OR	OFF	2007/12/20 12:49
S12 9	7	S124 and second	US-PGPUB; USPAT; EPO	OR	OFF	2007/12/20 12:49
S13 0	1	S128 and second near5 network	US-PGPUB; USPAT; EPO	OR	OFF	2007/12/20 12:50
S13 1	1	S128 and packet adj switched	US-PGPUB; USPAT; EPO	OR	OFF	2007/12/20 12:50